



TABLE OF CONTENTS

Open Container Office

Open Container Office with Half-Bathroom

Dual Office

Dual Office with Half-Bathroom

Store and Work Container Office

Work and Store Container Office

Workplace Container Office








- One 10-foot standard height one-trip container
- Exterior paint choices from base palette
- ½-inch textured and painted gypsum drywall over wood framing and batt insulation
- One 3-foot by 3-foot window
- One 3-foot wide exterior personnel door
- One exterior security light adjacent to the personnel door

- Original marine-grade plywood or bamboo floors
- 125A capacity panel with 60A exterior disconnect
- Two standard 4-foot LED light fixtures
- Four duplex 110V outlets
- One data pass-through
- One PTAC unit with 15k BTU cooling, 3.5 kW heating capacity





INTERIOR

Width 8-feet

Length 9 feet, 9.75 inches

Height 8-feet, 6-inches

Width 7-feet

Length 8-feet, 9-inches

Height 7-feet, 4-inches

Want to learn more about modified shipping containers?

Give us a call at 512-231-1010 or email us at Sales@FalconStructures.com. We'll show you what's possible with your project.

REQUEST A QUOTE





^{**}All specifications and pricing subject to change without notice.

^{***}Dimensions are approximate, as containers vary from manufacturer to manufacturer.








- One 20-foot standard height or high-cube (extra 12 inches) one-trip container
- Exterior paint choices from base palette
- ½-inch textured and painted gypsum drywall over wood framing and batt insulation
- Three 3-foot by 3-foot windows
- One 3-foot wide exterior personnel door

- One exterior security light adjacent to the exterior personnel door
- Original marine-grade plywood or bamboo floors
- 125A capacity panel with 60A exterior disconnect
- Two standard 4-foot LED light fixtures
- Six duplex 110V outlets
- One data pass through
- One PTAC unit with 15k BTU cooling,3.5 kW heating capacity





INTERIOR


Width	8-feet	Width	7-feet	
Length	19 feet, 10.5 inches	Length	18-feet, 6-inches	
Height*	8-feet, 6-inches	Height*	7-feet, 4-inches	

^{*}Standard height. Actual container may be a high-cube (additional 12 inches) depending on supply.

Want to learn more about modified shipping containers?

Give us a call at 512-231-1010 or email us at Sales@FalconStructures.com. We'll show you whats possible with your project.

VIEW MODIFICATION OPTIONS





^{**}All specifications and pricing subject to change without notice.

^{***}Dimensions are approximate, as containers vary from manufacturer to manufacturer.





- One 40-foot standard height or high-cube (extra 12 inches) one-trip container
- Exterior paint choices from base palette
- ½-inch textured and painted gypsum drywall over wood framing and batt insulation
- Four 3-foot by 3-foot windows
- One 3-foot wide exterior personnel door
- One exterior security light adjacent to the personnel door

- Original marine-grade plywood or bamboo floors
- 125A capacity panel with 60A exterior disconnect
- Four standard 4-foot LED light fixtures
- Six duplex 110V outlets
- One data pass through
- One PTAC unit with 15k BTU cooling, 3.5kW heating capacity





INTERIOR

Width	8-feet
Length	40-feet
Height*	8-feet, 6-inches

Width 7-feet

Length 39-feet

Height* 7-feet, 4-inches

Want to learn more about modified shipping containers?

REQUEST A QUOTE





^{*}Standard height. Actual container may be a high-cube (additional 12 inches) depending on supply.

^{**}All specifications and pricing subject to change without notice.

^{***}Dimensions are approximate, as containers vary from manufacturer to manufacturer.








SPFCS

- One 20-foot standard height or high-cube (extra 12 inches) one-trip container
- Exterior paint choices from base palette
- ½-inch textured and painted gypsum drywall over wood framing and batt insulation
- Two 3-foot by 3-foot windows
- One 3-foot wide exterior personnel door
- One 2-foot, 6-inch wide interior personnel door on the partition wall

- One exterior security light adjacent to the personnel door
- Original marine-grade plywood or bamboo floors in office area
- Vinyl coin flooring in bathroom area
- 125A capacity panel with 80A exterior disconnect
- Two standard 4-foot LED light fixtures
- One standard 2-foot LED light fixture in bathroom
- Five duplex 110V outlets

- One data pass-through
- One PTAC unit with 15k BTU cooling, 3.5kW heating capacity
- One exterior ¾-inch water supply connection for cold water
- One exterior 3-inch drainage connection and 2-inch vent connection
- One 6.5kW electric tankless water heater
- One exhaust vent fan
- One toilet
- One sink vanity with mirror





Width	8-feet
Length	19 feet, 10.5 inches
Height*	8-feet 6-inches



Want to learn more about modified shipping containers?

REQUEST A QUOTE

INTERIOR OFFICE AREA

Width	7-feet
Length	14-feet
Height*	7-feet, 4-inches

INTERIOR BATHROOM AREA

Width	6-feet, 9-inches
Length	4-feet
Height*	7-feet, 4-inches

^{*}Standard height. Actual container may be a high-cube (additional 12 inches) depending on supply.




^{**}All specifications and pricing subject to change without notice.

^{***}Dimensions are approximate, as containers vary from manufacturer to manufacturer.







- One 40-foot standard height or high-cube (extra 12-inches) one-trip container
- Exterior paint choices from base palette
- ½-inch textured and painted gypsum drywall over wood framing and batt insulation
- Four 3-foot by 3-foot windows
- One 3-foot wide exterior personnel door
- One 2-foot, 6-inch wide interior personnel door on partition wall

- One exterior security light adjacent to the personnel door
- Original marine-grade plywood or bamboo floors in office area
- Vinyl coin flooring in bathroom
- 125A capacity panel with 80A exterior disconnect
- Three standard 4-foot LED light fixtures
- One standard 2-foot LED light fixture in bathroom
- Seven duplex 110V outlets

- One data pass-through
- One PTAC unit with 15k BTU cooling,
 3.5 kW heating capacity
- One exterior ¾-inch water supply connection for cold water
- One exterior 3-inch drainage connection and 2-inch vent connection
- One 6.5kW electric tankless water heater
- One exhaust vent fan
- One toilet
- One sink vanity with mirror



Width	8-feet
Length	40-feet
Height*	8-feet, 6-inches

Want to learn more about modified shipping containers?

REQUEST A QUOTE

INTERIOR OFFICE AREA

Width	7-feet
Length	33-feet
Height*	7-feet, 4-inches

INTERIOR BATHROOM AREA

Width	7-feet
Length	5-feet
Height*	7-feet, 4-inches



^{*}Standard height. Actual container may be a high-cube (additional 12 inches) depending on supply.

^{**}All specifications and pricing subject to change without notice.

^{***}Dimensions are approximate, as containers vary from manufacturer to manufacturer.







- One 40-foot standard height or high-cube (extra 12 inches) one-trip container
- Exterior paint choices from base palette
- ½-inch textured and painted gypsum drywall over wood framing and batt insulation
- Four 3-foot by 3-foot windows
- Two 3-foot wide exterior personnel doors
- Two exterior security lights, one adjacent to each personnel door

- Original marine-grade plywood or bamboo floors
- 125A capacity panel with 60A exterior disconnect
- Four standard 4-foot LED light fixtures
- Eight duplex 110V outlets
- · One data pass-through
- Two PTAC units with 15k BTU cooling, 3.5kW heating capacity each
- One partition wall





Width 8-feet Length 40-feet Height* 8-feet, 6-inches

EACH INTERIOR OFFICE AREA

Width	7-feet
Length	19-feet
Height*	7-feet, 4-inches

^{*}Standard height. Actual container may be a high-cube (additional 12 inches) depending on supply.

Want to learn more about modified shipping containers?

REQUEST A QUOTE





^{**}All specifications and pricing subject to change without notice.

^{***}Dimensions are approximate, as containers vary from manufacturer to manufacturer.







- One 40-foot standard height or high-cube (extra 12 inches) one-trip container
- Exterior paint choices from base palette
- ½-inch textured and painted gypsum drywall over wood framing and batt insulation
- Four 3-foot by 3-foot windows
- Two 3-foot wide exterior personnel doors
- Two 2-foot, 6-inch wide interior personnel doors on partition walls


- · Two exterior security lights, one adjacent to each personnel door
- Original marine-grade plywood or bamboo floors in office area
- Vinyl coin flooring in the restroom
- 125A capacity panel with 80A exterior disconnect
- Four standard 4-foot LED light fixtures
- One standard 2-foot LED light fixture in bathroom
- Eight duplex 110V outlets

- · One data pass-through
- Two PTAC units with 15k BTU cooling, 3.5kW heating capacity each
- One exterior ¾-inch water supply connection for cold water
- One exterior 3-inch drainage connection and 2-inch vent connection
- One 6.5kW electric tankless water heater
- One exhaust vent fan
- One toilet
- · One sink vanity with mirror

Think Inside the Box.®



7717 Gilbert Rd., Manor, TX 78653



Width	8-feet
Length	40-feet
Height*	8-feet, 6-inches

^{*}Standard height. Actual container may be a high-cube (additional 12 inches) depending on supply.

Want to learn more about modified shipping containers?

REQUEST A QUOTE

INTERIOR OFFICE

Width	7-feet, 6-inches
Length	16-feet
Height*	7-feet, 4-inches

INTERIOR BATHROOM

Width	6-feet, 9-inches
Length	6-feet
Height*	7-feet, 4-inches



^{**}All specifications and pricing subject to change without notice.

^{***}Dimensions are approximate, as containers vary from manufacturer to manufacturer.







- One 20-foot standard height or high-cube (extra 12-inches) one-trip container
- 15-foot office with finished-out interior
- 25-foot storage with lighting only
- Exterior paint choice from base palette
- ½-inch textured and painted gypsum drywall over wood framing and batt insulation
- Two 3-foot by 3-foot windows
- One 3-foot wide exterior personnel door
- One exterior security light adjacent to the personnel door

- Operable cargo doors
- Original marine-grade plywood or bamboo floors
- 125A capacity panel with 60A exterior disconnect
- Two standard 4-foot LED light fixtures
- Three duplex 110V outlets in office area
- One duplex 110V outlet in the storage area
- One data pass-through
- One PTAC unit with 15k BTU cooling, 3.5kW heating capacity



Width	8-feet
Length	19 feet, 10.5 inches
Height*	8-feet, 6-inches



Want to learn more about modified shipping containers?

REQUEST A QUOTE

INTERIOR OF STORAGE AREA

Width	7-feet, 8-inches
Length	10-feet
Height*	7-feet, 5-inches

INTERIOR OF OFFICE AREA

Width	7-feet
Length	9-feet
Height*	7-feet, 4-inches

^{*}Standard height. Actual container may be a high-cube (additional 12 inches) depending on supply.



^{**}All specifications and pricing subject to change without notice.

^{***}Dimensions are approximate, as containers vary from manufacturer to manufacturer.







- One 40-foot standard height or high-cube (extra 12 inches) one-trip container
- 15-foot office with finished-out interior
- 24-foot storage with lighting only
- Exterior paint choice from base palette
- ½-inch textured and painted gypsum drywall over wood framing and batt insulation
- Two 3-foot by 3-foot windows
- One 3-foot wide exterior personnel door
- One exterior security light adjacent to the personnel door

- Operable cargo doors
- Original marine-grade plywood or bamboo floors
- •125A capacity panel with 60A exterior disconnect
- Four standard 4-foot LED light fixtures
- Four duplex 110V outlets in office area
- One duplex 110V outlet in the storage area
- One data pass-through
- One PTAC unit with 15k BTU cooling, 3.5kW heating capacity





Width	8-feet
Length	40-feet
Height*	8-feet, 6-inches

Want to learn more about modified shipping containers?

REQUEST A QUOTE

INTERIOR STORAGE AREA

Width	7-feet, 8-inches
Length	24-feet
Height*	7-feet, 5-inches

INTERIOR OFFICE **AREA**

Width	7-feet
Length	15-feet
Height*	7-feet, 4-inches



^{*}Standard height. Actual container may be a high-cube (additional 12 inches) depending on supply.

^{**}All specifications and pricing subject to change without notice.

^{***}Dimensions are approximate, as containers vary from manufacturer to manufacturer.







- One 40-foot standard height or high-cube (extra 12 inches) one-trip container
- 25-foot office with finished-out interior
- 14-foot storage with lighting only
- Exterior paint choices from base palette
- ½-inch textured and painted gypsum drywall over wood framing and batt insulation
- Three 3-foot by 3-foot windows
- One 3-foot wide exterior personnel door
- One exterior security light adjacent to the personnel door

- Operable cargo doors
- Original marine-grade plywood or bamboo floors
- 125A capacity panel with 60A exterior disconnect
- Four standard 4-foot LED light fixtures
- Six duplex 110V outlets in office area
- One duplex 110V outlet in storage area
- One data pass-through
- One PTAC unit with 15k BTU cooling, 3.5 kW heating capacity





Width 8-feet

Length 40-feet

Height* 8-feet, 6-inches

INTERIOR OFFICE AREA

Width 7-feet

Length 25-feet

Height* 7-feet, 4-inches

Want to learn more about modified shipping containers?

REQUEST A QUOTE

INTERIOR STORAGE AREA

Width	7-feet, 8-inches
Length	14-feet
Height*	7-feet, 5-inches



^{*}Standard height. Actual container may be a high-cube (additional 12 inches) depending on supply.

^{**}All specifications and pricing subject to change without notice.

^{***}Dimensions are approximate, as containers vary from manufacturer to manufacturer.







- One 40-foot standard height or high-cube (extra 12 inches) one-trip container
- Exterior paint choices from base palette
- ½-inch textured and painted gypsum drywall over wood framing and batt insulation
- Six 3-foot by 3-foot windows
- One 3-foot wide exterior personnel door
- Two 2-foot, 6-inch wide interior personnel doors on partition walls

- One exterior security light adjacent to the personnel door
- Original marine-grade plywood or bamboo floors
- 125A capacity panel with 100A exterior disconnect
- Four standard 4-foot LED light fixtures
- Nine duplex 110V outlets
- One data pass-through
- Three PTAC units with 15k BTU cooling, 3.5kW heating capacity each





Width	8-feet
Length	40-feet
Height*	8-feet, 6-inches

*Standard height. Actual container may be a high-cube (additional

Want to learn more about modified shipping containers?

REQUEST A QUOTE

INTERIOR CONFERENCE AREA

Width	7-feet
Length	18-feet
Height*	7-feet, 4-inches

INTERIOR OF EACH OFFICE AREA

Width	7-feet
Length	10-feet
Height*	7-feet, 4-inches



¹² inches) depending on supply.

^{**}All specifications and pricing subject to change without notice.

^{***}Dimensions are approximate, as containers vary from manufacturer to manufacturer.