



#### TABLE OF CONTENTS

Open Container Office

Open Container Office with Half-Bathroom

**Dual Office** 

<u>Dual Office with Half-Bathroom</u>

Store and Work Container Office

Work and Store Container Office

Work Place Container Office








- Built in one 10-foot standard, one-trip (close to new) container
- Exterior Paint
- ½-inch textured and painted gypsum drywall over wood framing and batt insulation
- One 3-foot by 3-foot window
- One 3-foot wide exterior personnel door
- One exterior security light adjacent to the personnel door

- Original marine-grade plywood or bamboo floors
- 125A capacity panel with 60A exterior disconnect and data pass-through
- Two standard 4-foot LED light fixtures
- Four duplex 110V outlets
- One data pass-through
- One 15K PTAC unit





**INTERIOR** 

Width 8-feet

Length 9 feet, 9.75 inches

Height 8-feet, 6-inches

Width 7-feet

Length 8-feet, 9-inches

Height 7-feet, 4-inches

### Want to learn more about modified shipping containers?

#### THE SKY'S THE LIMIT!

If you'd like to learn more about modified shipping container options, give us a call at 512-231-1010 or email us at Sales@FalconStructures.com. We're happy to point you in the right direction!

**REQUEST A QUOTE** 





<sup>\*\*</sup>All specifications and pricing subject to change without notice.

<sup>\*\*\*</sup>Dimensions are approximate, as containers vary from manufacturer to manufacturer.








- Built in one 20-foot standard, one-trip (close to new) container
- Exterior Paint
- ½-inch textured and painted gypsum drywall over wood framing and batt insulation
- Three 3-foot by 3-foot windows
- One 3-foot wide exterior personnel door

- One exterior security light adjacent to the personnel door
- Original marine-grade plywood or bamboo floors
- 125A capacity panel with 60A exterior disconnect
- Two standard 4-foot LED light fixtures
- Six duplex 110V outlets
- One data pass-through
- One 15K PTAC unit





# Width 8-feet Width 7-feet Length 19 feet, 10.5 inches Length 18-feet, 6-inches Height\* 8-feet, 6-inches Height\* 7-feet, 4-inches


INTERIOR

### Want to learn more about modified shipping containers?

#### THE SKY'S THE LIMIT!

If you'd like to learn more about modified shipping container options, give us a call at 512-231-1010 or email us at Sales@FalconStructures.com. We're happy to point you in the right direction!

**REQUEST A QUOTE** 





<sup>\*</sup>Heights are based off a standard shipping container. Taller high-cube containers are available upon request.

<sup>\*\*</sup>All specifications and pricing subject to change without notice.

<sup>\*\*\*</sup>Dimensions are approximate, as containers vary from manufacturer to manufacturer.








- Built in one 40-foot standard, one-trip (close to new) container
- Exterior Paint
- ½-inch textured and painted gypsum drywall over wood framing and batt insulation
- Four 3-foot by 3-foot windows
- One 3-foot wide exterior personnel door
- One exterior security light adjacent to the personnel door

- Original marine-grade plywood or bamboo floors
- 125A capacity panel with 60A exterior disconnect
- Four standard 4-foot LED light fixtures
- Six duplex 110V outlets
- One data pass through
- One 15K PTAC unit





Width 8-feet

Length 40-feet

Height\* 8-feet, 6-inches

#### INTERIOR

Width 7-feet

Length 39-feet

Height\* 7-feet, 4-inches

## Want to learn more about modified shipping containers?

**REQUEST A QUOTE** 





<sup>\*</sup>Heights are based off a standard shipping container. Taller high-cube containers are available upon request.

<sup>\*\*</sup>All specifications and pricing subject to change without notice.

<sup>\*\*\*</sup>Dimensions are approximate, as containers vary from manufacturer to manufacturer.








- Built-in one 20-foot standard, onetrip (close to new) container
- Exterior Paint
- ½-inch textured and painted gypsum drywall over wood framing and batt insulation
- Two 3-foot by 3-foot windows
- One 3-foot wide exterior personnel door
- One 2-foot, 6-inch wide interior personnel door on the partition wall

- One exterior security light adjacent to the personnel door
- Original marine-grade plywood or bamboo floors in office area
- Vinyl coin flooring in bathroom area
- 125A capacity panel with 80A exterior disconnect
- Two standard 4-foot LED light fixtures
- One standard 2-foot LED light fixture in bathroom
- · Five duplex 110V outlets

- · One data pass-through
- One 15K PTAC unit
- One exterior ¾-inch water supply connection for cold water
- One exterior 3-inch drainage connection and 2-inch vent connection
- One 6.5kw electric tankless heater
- · One ventilation fan
- One toilet
- · One sink vanity with mirror





Width	8-feet
Length	19 feet, 10.5 inches
Height*	8-feet, 6-inches



## Want to learn more about modified shipping containers?

**REQUEST A QUOTE** 

### INTERIOR OFFICE AREA

Width	7-feet
Length	14-feet
Height*	7-feet, 4-inches

### INTERIOR BATHROOM AREA

Width	6-feet, 9-inches
Length	4-feet
Height*	7-feet, 4-inches

<sup>\*</sup>Heights are based off a standard shipping container. Taller high-cube containers are available upon request.

<sup>\*\*\*</sup>Dimensions are approximate, as containers vary from manufacturer to manufacturer.



<sup>\*\*</sup>All specifications and pricing subject to change without notice.








- · Built in one 40-foot standard, onetrip (close to new) container
- Exterior Paint
- ½-inch textured and painted gypsum drywall over wood framing and batt insulation
- Four 3-foot by 3-foot windows
- One 3-foot wide exterior personnel door
- · One 2-foot, 6-inch wide interior personnel door on partition wall

- One exterior security light adjacent to
   One data pass-through the personnel door
- · Original marine-grade plywood or bamboo floors in office area
- Vinyl coin flooring in bathroom
- 125A capacity panel with 80A exterior disconnect
- Three standard 4-foot LED light fixtures
- · One standard 2-foot LED light fixture
- Seven duplex 110V outlets

- One 15K PTAC unit
- One exterior ¾-inch water supply connection for cold water
- One exterior 3-inch drainage connection and 2-inch vent connection
- One 6.5kw electric tankless heater
- · One ventilation fan
- One toilet
- One sink vanity with mirror





Width 8-feet

Length 40-feet

Height\* 8-feet, 6-inches

## Want to learn more about modified shipping containers?

**REQUEST A QUOTE** 

### INTERIOR OFFICE AREA

Width	7-feet
Length	33-feet
Height*	7-feet, 4-inches

### INTERIOR BATHROOM AREA

Width	7-feet
Length	5-feet
Height*	7-feet, 4-inches



<sup>\*</sup>Heights are based off a standard shipping container. Taller high-cube containers are available upon request.

<sup>\*\*</sup>All specifications and pricing subject to change without notice.

<sup>\*\*\*</sup>Dimensions are approximate, as containers vary from manufacturer to manufacturer.







- Built in one 40-foot standard, one-trip (close to new) container
- Exterior Paint
- ½-inch textured and painted gypsum drywall over wood framing and batt insulation
- Four 3-foot by 3-foot windows
- Two 3-foot wide exterior personnel doors
- Two exterior security lights, one adjacent to each personnel door

- Original marine-grade plywood or bamboo floors
- 125A capacity panel with 60A exterior disconnect
- Four standard 4-foot LED light fixtures
- Eight duplex 110V outlets
- One data pass-through
- Two 15K PTAC units
- One partition wall





Width 8-feet

Length 40-feet

Height\* 8-feet, 6-inches

### EACH INTERIOR OFFICE AREA

Width 7-feet

Length 19-feet

Height\* 7-feet, 4-inches

### Want to learn more about modified shipping containers?

**REQUEST A QUOTE** 





<sup>\*</sup>Heights are based off a standard shipping container. Taller high-cube containers are available upon request.

<sup>\*\*</sup>All specifications and pricing subject to change without notice.

<sup>\*\*\*</sup>Dimensions are approximate, as containers vary from manufacturer to manufacturer.








#### SPFCS

- Built in one 40-foot standard, onetrip (close to new) container
- Exterior Paint
- ½-inch textured and painted gypsum drywall over wood framing and batt insulation
- Four 3-foot by 3-foot windows
- Two 3-foot wide exterior personnel doors
- Two 2-foot, 6-inch wide interior personnel doors on partition walls

- Two exterior security lights, one adjacent to each personnel door
- Original marine-grade plywood or bamboo floors in office area
- Vinyl coin flooring in the restroom area
- 125A capacity panel with 80A exterior disconnect
- Four standard 4-foot LED light fixtures
- One standard 2-foot LED light fixture in bathroom
- Eight duplex 110V outlets

- One data pass-through
- Two 15K PTAC units
- One exterior ¾-inch water supply connection for cold water
- One exterior 3-inch drainage connection and 2-inch vent connection
- One 6.5kw electric tankless water heater
- One ventilation fan
- One toilet
- One sink vanity with mirror





Width 8-feet
Length 40-feet

Height\* 8-feet, 6-inches

## Want to learn more about modified shipping containers?

THE SKY'S THE LIMIT!

**REQUEST A QUOTE** 

#### INTERIOR OFFICE

Width	7-feet, 6-inches
Length	16-feet
Height*	7-feet, 4-inches

#### INTERIOR BATHROOM

Width 6-feet, 9-inches

Length 6-feet

Height\* 7-feet, 4-inches



<sup>\*</sup>Heights are based off a standard shipping container.

Taller high-cube containers are available upon request.

<sup>\*\*</sup>All specifications and pricing subject to change without notice.

<sup>\*\*\*</sup>Dimensions are approximate, as containers vary from manufacturer to manufacturer.








- Built in one 20-foot standard, one-trip (close to new) container
- Exterior Paint
- ½-inch textured and painted gypsum drywall over wood framing and batt insulation
- Two 3-foot by 3-foot windows
- One 3-foot wide exterior personnel door
- One exterior security light adjacent to the personnel door
- Operable cargo doors

- Original marine-grade plywood or bamboo floors
- 125A capacity panel with 60A exterior disconnect
- Two standard 4-foot LED light fixtures
- Three duplex 110V outlets in office area
- One duplex 110V outlet in the storage area
- · One data pass-through
- One 15K PTAC unit in office section





Width	8-feet
Length	19 feet, 10.5 inches
Height*	8-feet, 6-inches



## Want to learn more about modified shipping containers?

**REQUEST A QUOTE** 

#### INTERIOR OF STORAGE AREA

Width	7-feet, 8-inches
Length	10-feet
Height*	7-feet 5-inches

### INTERIOR OF OFFICE AREA

Width	7-feet
Length	9-feet
Height*	7-feet, 4-inches

<sup>\*</sup>Heights are based off a standard shipping container. Taller high-cube containers are available upon request.



<sup>\*\*</sup>All specifications and pricing subject to change without notice.

<sup>\*\*\*</sup>Dimensions are approximate, as containers vary from manufacturer to manufacturer.







- Built in one 40-foot standard, one-trip (close to new) container
- Exterior Paint
- ½-inch textured and painted gypsum drywall over wood framing and batt insulation
- Two 3-foot by 3-foot windows
- One 3-foot wide exterior personnel door
- One exterior security light adjacent to the personnel door
- Operable cargo doors

- Original marine-grade plywood or bamboo floors
- 125A capacity panel with 60A exterior disconnect
- Four standard 4-foot LED light fixtures
- Four duplex 110V outlets in office area
- One duplex 110V outlet in the storage area
- · One data pass-through
- · One 15K PTAC unit



Width 8-feet
Length 40-feet

Height\* 8-feet, 6-inches

## Want to learn more about modified shipping containers?

**REQUEST A QUOTE** 

#### INTERIOR STORAGE AREA

Width 7-feet, 8-inches

Length 24-feet

Height\* 7-feet, 5-inches

### INTERIOR OFFICE AREA

Width 7-feet

Length 15-feet

Height\* 7-feet, 4-inches



<sup>\*</sup>Heights are based off a standard shipping container. Taller high-cube containers are available upon request.

<sup>\*\*</sup>All specifications and pricing subject to change without notice.

<sup>\*\*\*</sup>Dimensions are approximate, as containers vary from manufacturer to manufacturer.



## 40-FT WORK AND STORE SHIPPING CONTAINER OFFICE

7301312






#### SPFCS

- Built in one 40-foot standard, one-trip (close to new) container
- Exterior Paint
- ½-inch textured and painted gypsum drywall over wood framing and batt insulation
- Three 3-foot by 3-foot windows
- One 3-foot wide exterior personnel door
- One exterior security light adjacent to the personnel door

- Operable cargo doors
- Original marine-grade plywood or bamboo floors
- 125A capacity panel with 60A exterior disconnect
- Four standard 4-foot LED light fixtures
- Six duplex 110V outlets in office area
- One duplex 110V outlet in storage area
- One data pass-through
- One 15K PTAC unit





Width	8-feet
Length	40-feet
Height*	8-feet, 6-inches

<sup>\*</sup>Heights are based off a standard shipping container. Taller high-cube containers are available upon request.

## Want to learn more about modified shipping containers?

**REQUEST A QUOTE** 

### INTERIOR OFFICE AREA

Width	7-feet
Length	25-feet
Height*	7-feet, 4-inches

#### INTERIOR STORAGE AREA

Width	7-feet, 8-inches
Length	14-feet
Height*	7-feet, 5-inches



<sup>\*\*</sup>All specifications and pricing subject to change without notice.

<sup>\*\*\*</sup>Dimensions are approximate, as containers vary from manufacturer to manufacturer.








- Built in one 40-foot standard, one-trip (close to new) container
- Exterior Paint
- ½-inch textured and painted gypsum drywall over wood framing and batt insulation
- Six 3-foot by 3-foot windows
- · One 3-foot wide exterior personnel door
- Two 2-foot, 6-inch wide interior personnel doors on partition walls

- One exterior security light adjacent to the personnel door
- Original marine-grade plywood or bamboo floors
- 125A capacity panel with 100A exterior disconnect
- Four standard 4-foot LED light fixtures
- Nine duplex 110V outlets
- One data pass-through
- Three 15K PTAC units





Width 8-feet

Length 40-feet

Height\* 8-feet, 6-inches

## Want to learn more about modified shipping containers?

**REQUEST A QUOTE** 

#### INTERIOR CONFERENCE AREA

Width	7-feet
Length	18-feet
Height*	7-feet, 4-inches

### INTERIOR OF EACH OFFICE AREA

Width	7-feet
Length	10-feet
Height*	7-feet, 4-inches



<sup>\*</sup>Heights are based off a standard shipping container. Taller high-cube containers are available upon request.

<sup>\*\*</sup>All specifications and pricing subject to change without notice.

<sup>\*\*\*</sup>Dimensions are approximate, as containers vary from manufacturer to manufacturer.